PYRAMINX
V3 M

PYRAMINX OF DAYAN
PEAK OF DYNAMIC

DaYan Pyraminx V3 M




Crafted with all DaYan's cutting-edge technology:
Adjustable core magnets, Numerical dual-adjustment,
Micro-precision ball core...
Flagship designs makes top performance!
DaYan Pyraminx build the speed dream with you!

Core Magnet Positioning

Numerical Dual-adjustment

Micro-precision Ball Core

Fluent Corner-cutting



PYRAMINX
V3 M

Core Assistance
Adjustable Corner-Core Positioning

5 gears adjustable magnets in corners, pick the one you prefer
Accurate positioning in fast turning,
Comfortable feeling from smooth solving.


PYRAMINX
V3 M

Magnetic Core
Better for speed solving

磁悬浮环、棱角定位、中心-棱块定位、中心-棱块斥力，
84颗磁铁科学分布在魔方内部，构成精妙舒适的手感。

12颗
中心-棱块定位

20颗
悬浮磁环



48颗
棱角定位

12颗
中心-棱块斥力

※The above data is for the UV maglev version,
the number of magnets in the matte spring version is different.

PYRAMINX
V3 M

Tool-Free Adjustment

Visible numerical dual-adjustment, all gears clearly distinguishable.
Casually twist, precisely set.



Inner ring

turn clockwise, 6 gears of center travel, the number on the inner ring aligned with the central indicator slot represents the current setting, the bigger the number is, the looser the cube will be.

Outer ring

turn counterclockwise, 8 gears of tension, the number on the outer ring aligned with the 1 on inner ring represents the current setting, the bigger the number is, the stronger the tension will be.

PYRAMINX
V3 M

Big Corner-Cutting
No Lock-Ups

Advanced corner-cutting performance,
ensuring seamless solves.

PYRAMINX
V3 M

DaYan Pyraminx V3 M
2 Versions, Both Excellent

01

Maglev UV

Advanced technology
pioneered performance

PYRAMINX V3 M





02

Standard Matte
Spring Version

Classic equipment
comfortable feeling


PYRAMINX V3 M

03

Concentric Arc
Anti-Stick Grooves

Smoothen every solves

PYRAMINX V3 M





04

Reinforced Locking Mechanism Drop-Proof Durability

Interlocking layers with reinforced clips, drop-proof, stays intact.

PYRAMINX V3 M

STANDARD MATTE SPRING	Version	MAGLEV UV
Conical Spring	Tension	Maglev
Matte	Texture	UV-Coated
Piece Magnets Core-Edge Positioning Core-Edge Repulsion	Magnets	Maglev Piece Magnets Core-Edge Positioning Core-Edge Repulsion
60g	Weight	66.5g
Edge Length 96mm	Size	Edge Length 96mm
5 gears of core magnets 6 gears of center travel 8 gears of tension	Settings	5 gears of core magnets 6 gears of center travel 8 gears of tension